

PASSENGER CAR SIZES 

145/70 R13	LHR
145/80 R13	BT1
155/65 R13	BP1, LHR
155/70 R13	MPT ENERGY, BT, BP 2000
155/80 R13	T1 ACTIVE, BT1,BT, RUNNER
165/65 R13	MPT ENERGY, VMT
165/70 R13	OKO52, BP1 ACTIVE, VMT
165/80 R13	BT
175/70 R13	OKO52, BT, RUNNER
155/65 R14	T1 ACTIVE
165/65 R14	MPT ENERGY, RUNNER, BT
165/70 R14	MPT ENERGIE
175/65 R14	OKO52, BT1 ACTIVE,MV3A, RUNNER
175/70 R14	VVS3A, BT
185/60 R14	VVS3A, MV3A, SPEED PLUS, OKO52, ENERGY 2, ALL RE 71
185/65 R14	VVS3A, OKO52
185/70 R14	BPV3A
195/60 R14	VVS3A, MV3A, OKO52
195/70 R14	BV
185/55 R15	BPM2, V71
185/65 R15	POWER, VVS3A,
195/45 R15	V71
195/50 R15	V71, OKO52, SPEED LIMIT,ENERGY 2, BPM 2
195/55 R15	GTV, SPEED PLUS
195/60 R15	POWER, SPEED PLUS, BV3A
195/65 R15	POWER, VVS3A, MV3A, OKO 52, RS 2, ECOL 1, PG 71
205/50 R15	V71, SPEED PLUS
205/55 R15	V71
205/60 R15	POWER, VVS3A, MV3A
205/50 R16	RID 2
205/55 R16	POWER, RID 2, SPORT RIDER, RS 2
215/55 R16	POWER
225/50 R16	POWER, V71
205/50 R17	POWER
225/45 R17	POWER, V71
235/40 R17	V71
235/45 R17	V71
245/40 R17	V71, RID 2
255/40 R17	V71, RID 2
225/40 R18	POWER

4X4 SIZES 

195/80 R15	ALL TERRAIN,JUNGLE, WRANGLER, <i>MUD 1, ALL CROSS, QUATTRO</i>
205/70 R15	JUNGLE, TOURING
205/75 R15	JUNGLE, VPC
215/75 R15	ALL TERRAIN, BCH4 (JUNGLE)
215/80 R15	ALL TERRAIN, SAFARI GRIP, JUNGLE, QUATTRO
225/70 R15	ALL TERRAIN, BCH4 (JUNGLE)
225/75 R15	ALL TERRAIN, JUNGLE, QUATTRO
235/75 R15	ALL TERRAIN, WRANGLER, SAFARI GRIP, JUNGLE, <i>ALL TRACK</i>
255/70 R15	ALL TERRAIN, JUNGLE, <i>CROSS COUNTRY</i>
255/75 R15	JUNGLE, <i>CROSS COUNTRY</i>
265/70 R15	CROSS COUNTRY, ALL TERRAIN, JUNGLE, <i>CROSS COUNTRY, SIMEX EXTREM</i>
265/75 R15	JUNGLE, <i>CROSS COUNTRY, SIMEX EXTREM</i>
31x10.50 R15	ALL TERRAIN, JUNGLE BRAVE SPEED, <i>CROSS COUNTRY, SIMEX EXTREM</i>
205/80 R16	ALL TERRAIN, JUNGLE, <i>CROSS COUNTRY, MUD</i>
235/70 R16	JUNGLE
245/70 R16	JUNGLE, <i>CROSS COUNTRY</i>
255/65 R16	JUNGLE, <i>CROSS COUNTRY</i>
255/70 R16	JUNGLE, <i>CROSS COUNTRY, SIMEX EXTREM</i>
265/70 R16	 PRIMERA,  JUNGLE, <i>CROSS COUNTRY, SIMEX EXTREM</i>
235/65 R17	PRIMERA
265/65 R17	PRIMERA
235/60 R18	PRIMERA
COMERCIAL VAN SIZES 	
175/80 R14C	AGIS 81, CR2, CR, VS100, VS 800,
185/75 R14C	RCA, BPCA, CR2, C4S, BCM+S4, MSAL,
185/80 R14C	BCA, BPA, CR 2, VS800, VS100, CR
195/75 R14C	BCA
195/80 R14C	RCA, AGIS 81, M+S
205/75 R14C	AGIS 81
195/70 R15C	BPCA, AGIS 81, CARGO 81
205/65 R15C	AGIS 81
215/70 R15C	AGIS 1012
225/70 R15C	AGIS 101, AGIS 1012, CARGO 101
175/80 R16C	BCA TAXI, CR, AGIS 81, AGIS 81 TAXI
185/75 R16C	AGIS 81, AGIS 81 TAXI, CR, TOURING
195/65 R16C	AGIS 81
195/75 R16C	BPCA, RCA 75, AGIS 81, CR2, C4S, TOURING, STAR GRIP
205/65 R16C	TOURING LT
205/75 R16C	BCA, C4S, CR2, STAR GRIP (AGIS 101)
215/65 R16C	AGIS 101
215/75 R16C	AGIS 101, C4S, CR2
225/75 R16C	AGIS 101
235/65 R16C	K26



size	loading rate/ speed index		POWER
185 / 65 R 15	88 H		
195 / 60 R 15	92 V		
195 / 65 R 15	91 V		
205 / 60 R 15	95 V		
205 / 55 R 16	94 V		
215 / 55 R 16	97 W		
225 / 50 R 16	91 H		
205 / 50 R 17	91 V		
225 / 45 R 17	94 W		
225 / 40 R 18	92 W		



size	loading rate/ speed index		V 71
185 / 55 R 15	82 H		
195 / 45 R 15	82 H		
195 / 50 R 15	82 H		
205 / 50 R 15	82 H		
205 / 55 R 15	87 V		
225 / 45 R 17	91 W		
235 / 40 R 17	90 V		
235 / 45 R 17	93 V		
245 / 40 R 17	91 V		
255 / 40 R 17	94 V		



size	loading rate/ speed index		RID 2
205 / 50 R 16	87 V		
205 / 55 R 16	89 V		
245 / 40 R 17	91 V		
255 / 40 R 17	94 V		



size	loading rate/ speed index		OKO52
165 / 70 R 13	79 T		
175 / 70 R 13	82 T		
175 / 65 R 14	86 T		
185 / 60 R 14	82 H		
185 / 65 R 14	86 H		
195 / 60 R 14	86 H		
195 / 50 R 15	82 H		
195 / 65 R 15	91 H		















size	loading rate/ speed index		VVS3A/MV3A
175 / 65 R 14	86 U		
175 / 70 R 14	84 T		
185 / 60 R 14	86 T		
185 / 65 R 14	86 T		
195 / 60 R 14	98 T / 86 U		
185 / 65 R 15	88 T		
195 / 65 R 15	91 U		
205 / 60 R 15	91 V		







size	loading rate/ speed index		SPEED PLUS
185 / 60 R 14	86 H		
195 / 55 R 15	84 H		
195 / 60 R 15	88 H		
205 / 50 R 15	84 H		




size	loading rate/ speed index		BT/MPT ENERGY	
145 / 80 R 13	79 T			
155 / 65 R 13	73 T			
155 / 70 R 13	75 T			
155 / 80 R 13	79 T			
165 / 65 R 13	77 T			
175 / 70 R 13	82 T			
165 / 65 R 14	79 T			
165 / 70 R 14	81 T			
175 / 65 R 14	86 T			
175 / 70 R 14	84 T			















size	loading rate/ speed index		ENERGY 2	
185 / 60 R 14	82 H			
195 / 50 R 15	82 H			







size	loading rate/ speed index		GTV	
195 / 55 R 15	84 V			



size	loading rate/ speed index		RUNNER	
155 / 80 R 13	78 S			
175 / 70 R 13	80 T			
165 / 65 R 14	78 T			
175 / 65 R 14	80 T			

size	loading rate/ speed index		SPEED PLUS	
185 / 60 R 14	86 H			
195 / 55 R 15	84 H			
195 / 60 R 15	88 H			
205 / 50 R 15	84 H			

size	loading rate/ speed index		SPORT RYDER	
205 / 55 R 16	91 V			
215 / 55 R 16	91 V			



size	loading rate/ speed index	AGIS 81	
175 / 80 R 14 C	96 M		
195 / 80 R 14 C	102 N		
205 / 75 R 14 C	102 N		
195 / 70 R 15 C	107 R		
205 / 65 R 15 C	104/102 R		
175 / 80 R 16 C	104/102 R	taxi	
185 / 75 R 16 C	104/102 R		
195 / 65 R 16 C	104/102 R		
195 / 75 R 16 C	101/ 99 N		



size	loading rate/ speed index	AGIS 101	
225 / 70 R 15 C	121/120 N		
215 / 65 R 16 C	113/111 N		
215 / 75 R 16 C	112/110 N		
225 / 65 R 16 C	113/111 N		
225 / 75 R 16 C	121/120 N		



size	loading rate/ speed index	BCA	
185 / 75 R 14 C	102/100 P		
185 / 80 R 14 C	106/104 N		
195 / 75 R 14 C	102/100 P		
195 / 80 R 14 C	106/104 P		
195 / 70 R 15 C	103/101 Q		
175 / 80 R 16 C	104/102 N	taxi	
195 / 75 R 16 C	107/105 N		
205 / 75 R 16 C	107/105 N		



size	loading rate/ speed index	CR 2	
175 / 80 R 14 C	99/98 P		
185 / 75 R 14 C	102/100 P		
195 / 75 R 16 C	107/105 R		
205 / 75 R 16 C	110/108 M		
215 / 75 R 16 C	110/108 M		



size	loading rate/ speed index	CR	
175 / 80 R 14 C	99/98 P		
185 / 80 R 14 C	102/100 N		
175 / 80 R 16 C	104/102 N		
185 / 75 R 16 C	104/102 N		



size	loading rate/ speed index	C4S	
185 / 75 R 14 C	102/100 P		
195 / 75 R 16 C	110 N	chassende	
205 / 75 R 16 C	110 N		
215 / 75 R 16 C	110 N		



size	loading rate/ speed index	ALL TERRAIN
195 / 80 R 15	94 Q	
215 / 75 R 15	100 S	
215 / 80 R 15	100 Q	
225 / 70 R 15	100 S	
225 / 75 R 15	102 S	
235 / 75 R 15	105 S	
255 / 70 R 15	108 T	
265 / 70 R 15	110 T	
31x10,5 R 15	109 Q	
205 / 80 R 16	104 S	



size	loading rate/ speed index	JUNGLE
195 / 80 R 15	96 S	
205 / 70 (75) R 15	97 S	
215 / 75 (80) R 15	100 S	
225 / 70 (75) R 15	105 Q / 102 H	
235 / 75 R 15	105 H	
255 / 70 (75) R 15	105 Q	
265 / 70 (75) R 15	105 Q	
205 / 80 R 16	103 S	
235 / 70 R 16	105 H	
245 / 70 R 16	107 Q	
255 / 65 (70) R 16	107 Q	
265 / 70 R 16	107 Q	



size	loading rate/ speed index	CROSS COUNTRY
255 / 70 R 15	108 Q	
255 / 75 R 15	108 Q	
265 / 70 R 15	110 Q	
265 / 75 R 15	112 Q	
31x10,5 R 15	109 Q	
205 / 80 R 16	104 S	
245 / 70 R 16	109 S	
255 / 70 R 16	109 S	
265 / 70 R 16	109 S	



size	loading rate/ speed index	PRIMERA
265 / 70 R 16	112 T	
235 / 65 R 17	112 T	
265 / 65 R 17	112 T	
235 / 60 R 18	103 H	



size	loading rate/ speed index	WRANGLER
195 / 80 R 15	96 S	
235 / 75 R 15	105 S	



size	loading rate/ speed index	SIMEX EXTREM
255 / 70 R 15	112 S	
265 / 75 R 15	112 S	
31x10,5 R 15	112 S	
255 / 70 R 16	112 T	
265 / 70 R 16	112 T	